










Temperature Probes LP series - 3



AIR TYPE

















Measuring Temperature in moving Air

<p>LP-21 General Purpose - straight type</p> 	 <p>Ø4.8 x 200mm -20~+450°C</p>
<p>LP-21 EX Extensible type</p> 	 <p>MAX. Extension to 1000mm</p> <p>-20~+450°C</p>
<p>LP-22 Right angle type</p> 	 <p>Ø4.8 x 200mm -20~+450°C</p>
<p>LP-23 Clip type</p> 	 <p>MAX 27.0</p> <p>74.5</p> <p>-20~350°C</p>

※ The cable length and Temperature ranges can be specified.

NEEDLE TYPE

Measuring the internal temperature of an object.

<p>LP-31 Needle sharp type</p> 	 <p>Ø2.0 x 80mm -20~+350°C</p>
<p>LP-32 Needle sharp type</p> 	 <p>Ø3.8 x 120mm -40~+400°C</p>
<p>LP-33 Oblique sharp type</p> 	 <p>Ø2.0 x 80mm -40~+350°C</p>
<p>LP-34 Oblique sharp type</p> 	 <p>Ø4.8 x Lmm -40~+350°C</p>
<p>LP-35 Superfine needle type</p> 	 <p>Ø1.0 x 15mm -30~+150°C</p>
<p>LP-36 High Temp Type</p>  <p>*Suitable for Metal</p>	 <p>Ø3.2 x Lmm -20~+1000°C</p>
<p>LP-37 Direct thermometer connection type</p> 	 <p>Ø2.0 x Lmm -20~+250°C</p>
<p>LP-38 Suitable strong rhombus piercing</p> 	 <p>Ø4.8 x 100mm -30~+400°C</p>

※L mm = 150mm for standard.

※The cable length and Temperature ranges can be specified.